L41	0	"709"/\$.ccls. and (proxy with provided near4 source\$1 adj (url\$1)) and @ad<="20001218"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/24 17:06
L42	0	"709"/\$.ccls. and (proxy with provided adj (url\$1)) and @ad<="20001218"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/24 17:07
L43	0	"709"/\$.ccls. and (proxy with provided adj (source\$1)) and @ad<="20001218"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/24 17:07
L44	0	"709"/\$.ccls. and (proxy with provided near1 (source\$1)) and @ad<="20001218"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/24 17:07
L45	0	"709"/\$.ccls. and (proxy same provided near1 (source\$1)) and @ad<="20001218"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/24 17:07
L46	0	"709"/\$.ccls. and (proxy same provided near4 (source\$1)) and @ad<="20001218"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/24 17:07
L47	19	"709"/\$.ccls. and (proxy near4 (source\$1 adj address\$3)) and @ad<="20001218"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/24 17:13
L48	0	"709"/\$.ccls. and (proxy near4 (pre near1 determin\$3 adj address\$3)) and @ad<="20001218"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/24 17:14

L33	213	(proxy near5 server\$1 near1 (url\$1 or address\$4)) and @ad<="20001218"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/24 16:05
L34	152	(proxy near2 server\$1 near1 (url\$1 or address\$4)) and @ad<="20001218"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/24 16:05
L35	91	"709"/\$.ccls. and (proxy near2 server\$1 near1 (url\$1 or address\$4)) and @ad<="20001218"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/24 16:29
L36	27	"709"/\$.ccls. and (proxy near2 server\$1 adj (url\$1 or address\$4)) and @ad<="20001218"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/24 16:31
L37	9	"709"/\$.ccls. and (proxy near2 destination\$1 adj (url\$1 or address\$4)) and @ad<="20001218"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/24 16:45
L38	50	"709"/\$.ccls. and (proxy with destination\$1 adj (url\$1 or address\$4)) and @ad<="20001218"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/24 16:46
L39	34	"709"/\$.ccls. and (proxy with source\$1 adj (url\$1 or address\$4)) and @ad<="20001218"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/24 17:00
L40	1	"709"/\$.ccls. and (proxy with source\$1 adj (url\$1)) and @ad<="20001218"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/24 17:06

L25	0	(proxy with source\$1 near1 condition\$1) and @ad<="20001218"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/24 15:28
L26	1	(proxy with source\$1 near2 condition\$1) and @ad<="20001218"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/24 15:28
L27	2	(proxy with source\$1 near3 condition\$1) and @ad<="20001218"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/24 15:28
L28	3	(proxy with source\$1 near4 condition\$1) and @ad<="20001218"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/24 15:29
L29	8	(proxy with source\$1 with condition\$1) and @ad<="20001218"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/24 15:49
L30	0	(proxy with list near4 tim\$3 near2 addresses) and @ad<="20001218"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/24 15:50
L31	6	(proxy with list with tim\$3 with addresses) and @ad<="20001218"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/24 16:04
L32	130	(proxy with server\$1 near1 (url\$1 or address\$4)) and @ad<="20001218"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/24 16:05

L17	23	(proxy with process\$3 with condition\$1) and @ad<="20001218"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/24 15:02
L18	66	(gateway with process\$3 with condition\$1) and @ad<="20001218"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/24 15:02
L19	1	(gateway with process\$3 near1 condition\$1) and @ad<="20001218"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/24 15:03
L20	7	(gateway with process\$3 near2 condition\$1) and @ad<="20001218"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/24 15:19
L21	0	(proxy with source near1 condition\$1) and @ad<="20001218"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/24 15:28
L22	1	(proxy with source near2 condition\$1) and @ad<="20001218"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/24 15:22
L23	2	(proxy with source near3 condition\$1) and @ad<="20001218"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/24 15:23
L24	3	(proxy with source near4 condition\$1) and @ad<="20001218"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/24 15:29

	T					
L9	2	(synchro\$6 with proxy same condition\$1) and @ad<="20001218"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/24 13:59
L10	3	(synchro\$6 same proxy same condition\$1) and @ad<="20001218"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/24 14:01
L11	348	(proxy same condition\$1) and @ad<="20001218"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/24 14:01
L12	176	(proxy with condition\$1) and @ad<="20001218"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/24 14:01
L13	2	(proxy with process\$3 near1 condition\$1) and @ad<="20001218"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/24 14:18
L14	4	(proxy with process\$3 near2 condition\$1) and @ad<="20001218"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/24 14:19
L15	9	(proxy with process\$3 near3 condition\$1) and @ad<="20001218"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/24 14:21
L16	11	(proxy with process\$3 near4 condition\$1) and @ad<="20001218"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/24 14:29

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	(synchro\$6 with router with condition\$1) and @ad<="20001218"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/24 13:54
L2	0	(synchro\$6 near1 server with condition\$1) and @ad<="20001218"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/24 13:55
L3	6	(synchro\$6 near4 server with condition\$1) and @ad<="20001218"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/24 13:55
L4	3	(synchro\$6 near2 server with condition\$1) and @ad<="20001218"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/24 13:57
L5	1	(synchro\$6 near2 proxy with condition\$1) and @ad<="20001218"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/24 13:58
L6	1	(synchro\$6 near2 proxy same condition\$1) and @ad<="20001218"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/24 13:58
L7	0	(synchro\$6 near2 proxy same criterion) and @ad<="20001218"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/24 13:58
L8	0	(synchro\$6 with proxy same criterion) and @ad<="20001218"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/24 13:59